



Material Safety Data Sheets (MSDS)

Section 1 – Product Identification

Company Identification	ALLIANCE DESIGNER PRODUCTS INC. 225 Blvd. Bellerose West Laval (Qc) Canada H7L 6A1
24 hour Emergency Phone	CHEMTREC – 1 800 424-9300
Chemical Family	Silica & Granite
Product Use	JOINT MATERIAL
Hazard Rating		
Health	1
Fire	0
Reactivity	0

Section 2 – Composition – Ingredients Information

Ingredient	CAS #	%	Exposure Limit	LD ₅₀	LC ₅₀
Crystalline Silica (Quartz)	14808-60-7	Min 4%	0.05 mg/m ³ TWA ACGIH	Not available	Not available
Balance of ingredients are non-hazardous					

Section 3 – Hazard Identification

Description	Buff (Beige or Slate Grey) colored granules, Slight odor.
Hazards	WARNING! HARMFUL IF INHALED, OVEREXPOSURE MAY CAUSE LUNG DAMAGE, MAY CAUSE EYE IRRITATION. INHALATION CANCER HAZARD. CONTAINS QUARTZ WHICH CAN CAUSE CANCER. Risk of cancer depends upon duration and level of exposure.
Precautions	Avoid breathing dust, contact with skin and eyes.
Primary Routes of Entry	Eye, Inhalation, Skin Contact.
Signs and Symptoms of Exposure	Inhalation of quartz is classified as a human carcinogen. Chronic Exposure can cause silicosis, a form of lung scarring that can cause Shortness of breath, reduced lung fonction, and in severe cases, death. Inhalation may increase the progression of tuberculosis, susceptibility is apparently not increased. Persons with impaired respiratory fonction may be more susceptible ot the effects of this substance. Smoking can increase the risk of lung injury.
Target Organs	Lungs



Section 4 – First-aid Measures

- Ingestion** Get immediate medical attention.
Never give anything by mouth to an unconscious person.
Dilute with water. Keep patient warm and calm.
Induce vomiting only on the instructions of a health care professional.
- Skin** Remove contaminated clothing.
Rinse thoroughly with plenty of water.
If irritation occurs or persists consult a doctor.
- Inhalation** Remove victim to fresh air. If breathing is difficult or has stopped,
a properly trained person should administer oxygen or artificial respiration.
Get immediate medical attention.
- Eyes** Immediately flush eyes with plenty of water, holding eyelids apart during flushing.
Obtain immediate medical attention.

In case of overexposure – Always bring a copy of the product MSDS to the Doctor.

Section 5 – Fire Fighting Measures

- Flash Point (°C)** Not applicable
- Flash Point Test Method** Not applicable
- Explosion Limits** Not applicable
- Fire and Explosion Hazards** None
- Fire Fighting Instructions** Wear self-contained breathing apparatus and full bunker gear.
- Extinguishing Media** Not required
- Hazardous Combustion Products** None

Section 6 – Accidental Release Measures

- Spill and Leak** Avoid generating dust. Wear respiratory protection. Sweep up or Vacuum and place in properly identified container.

Section 7 – Handling and Storage Procedures

- Handling Instructions** Avoid skin and eye contact. Avoid generation dust. **DO NOT BREATHE DUST.**
Maintain good personal hygiene and wash Thoroughly after handling, especially before eating, drinking or smoking. Wash contaminated clothing before reuse.
- Storage Measures** Store in a cool, dry and well-ventilated area. Store away from heat Sources or open flames. Store away from incompatible materials. Keep containers tightly closed when not in use.

Section 8 – Exposure Control / Personal Protection

- Skin Protection** Wear protective gloves and long sleeve shirts to prevent skin contact.
- Eye Protection** Wear safety goggles.
- Respiratory Protection** In poorly ventilated areas or if the exposure limits described in section 2 Are likely to be exceeded then wear a high efficiency particulate Respirator (NIOSH type N100 filter).
- Engineering Controls** Adequate local exhaust ventilation at point of emission.



GATOR MAXX SAND
Preparation date of the MSDS April 2010

Section 9 – Physical and Chemical Properties

Physical State	Solid (Powder)
Colour	Beige & Slate Grey
Odour	None
Odour Threshold	None
Solubility in Water	Insoluble
Vapour Pressure	Not applicable
Evaporation Rate	Not applicable
Vapour Density	No data
Specific Gravity	2.65
Boiling Point (°C)	2230 ⁰
Freezing/Melting Point (°C)	1710 ⁰
pH	No data
Volatiles (%)	<1.0
Coefficient Water/Oil	No data

Section 10 – Stability and Reactivity Information

Conditions to Avoid	Exposure to excessive heat.
Material to Avoid	Strong alkalis, hydrofluoric acid, powerful oxidizers, and fluorine Containing compounds.
Stability	Product is stable in non-emergency conditions.
Hazardous Polymerization	Will not occur.
Hazardous Products of Decomposition	Will not occur.

Section 11 – Toxicological Information

LD ₅₀ (species/route)	266 000 mg/kg rat
LC ₅₀ (species/duration)	50 000 mg/m ³ rat (96 hours)
Exposure Limits	See Section 2
Irritation	Mild
Sensitization	None reported
Carcinogenicity	No potential occupational carcinogen. IARC Category 1 Carcinogen NTP!: Yes
Reproductive Effects	No reported
Teratogenicity	No reported
Mutagenicity	No reported
Synergistic	No reported

Section 12 – Ecological Information

Environmental Fate	No data at this time
--------------------	-------	----------------------

Section 13 – Disposal Instructions

Waste Disposal Method	Dispose in a manner consistent with local, regional, provincial and/or Federal regulations.
-----------------------	-------	--

Alliance Designer Products Inc.



Section 14 – Transport Information

Proper Shipping Name Not regulated
UN # Not applicable
Class(es) Not applicable
Packaging Group Not applicable
Other information None
Transport Emergency In the event of a transport emergency contact CHEMTREC at 1 800 424-9300.

Section 15 – Regulatory Information

WHMIS Classification Not controlled
CEPA Status Appears on the DSL
TSCA Appears on the TSCA Inventory
Other This product is know to the State of California to cause cancer.

Section 16 – Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Section 17 – Other Information

MSDS # 2003-01 **Revision # 3** **Revision Date** Avril 2010